Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's address: Gumax, Rooijakkersstraat 8, 5652BB Eindhoven Eindhoven Noord-Brabant, NL

Model identifier: Gumax Lighting System COM-3400-4,0-Y

Type of light source:

Lighting technology used:	LED	Non-directional or directional:	NDLS
Light source cap-type	LED-strip (pcb)		
(or other electric interface)			
Mains or non-mains:	NMLS	Connected light source (CLS):	Yes
Colour-tuneable light source:	Yes	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	Yes	Dimmable:	Only with spe- cific dimmers

Product parameters

Froduct parameters							
Parameter		Value	Parameter	Value			
General product parameters:							
<u> </u>	nption in on- 00 h), rounded st integer	55	Energy efficiency class	F			
dicating if it refe a sphere (360º)	s flux (фuse), in- ers to the flux in , in a wide cone rrow cone (90º)	3 096 in Wide cone (120°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	3 000			
On-mode pow pressed in W	ver (P _{on}), ex-	28,0	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	0,50			
(P _{net}) for CLS, 6	expressed in W the second dec-	0,50	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	80			
Outer dimen-	Height	22	Spectral power dis-	See image			
sions without	Width	60	tribution in the	in last page			
separate con- trol gear, light-	Depth	3 950	range 250 nm to 800 nm, at full-load				

ing control parts and non- lighting con- trol parts, if any (millime- tre)						
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-			
		Chromaticity coordi-	0,440			
		nates (x and y)	0,403			
Parameters for LED and OLED light sources:						
R9 colour rendering index value	0	Survival factor	1,00			
the lumen maintenance factor	0,90					

(a)'-': not applicable; (b)'-': not applicable;

Lighting System by Gumax

RELATIVE SPECTRAL POWER DISTRIBUTION

